

14. 9寸奥迪Q5L装车教程



用撬板把右侧板拆下
/Remove the right side panel with a pry bar



取下右侧板/Remove the right side panel



用套筒取下两颗螺丝
/Remove two screws with a socket



用撬板取下银色装饰条
/Use a pry to remove the silver decorative strip



取下银色装饰条
/Remove the silver decorative strip



用套筒取下红色标记的螺丝/Remove the screw marked in red with a socket



取下螺丝/Remove the screw



取下储物盒固定螺丝
/Remove the fixing screws of the storage box




取下储物盒固定螺丝
/Remove the fixing screws of the storage box



用专工具取下原车储物盒主机/Use specialized tools to remove the original car storage box host



取下主机并拔下插头
/Remove the host and unplug the plug



取下主机后，再把主机后面的储物盒固定螺丝取下/After removing the host, remove the screws securing the storage box at the back of the host



取下储物盒并把储物盒电源插头取下/Remove the storage box and disconnect the power plug from the storage box



用撬板取下主驾驶左侧板/Remove the driver's left side panel with a pry bar



用螺丝刀取下装饰条固定螺丝/Use a screwdriver to remove the decorative strip fixing screw



撬松银色装饰条/Loosen the silver decorative strip



撬松装饰条后向左移动一下再取下装饰条/Loosen the decorative strip and



撬开仪表装饰条/Pry open the instrument panel decorative strip



撬下装饰条/Pry off the decorative strip



取下主驾驶装饰护板固定螺丝/Remove the fixing screws of the driver's decorative



取下主驾驶小储物盒固定螺丝/Remove the fixing screws of the driver's small storage box



再用专用工具把按键取下/Use specialized tools to remove the buttons again



取下控制按键/Remove the control button



取下按键插头/Remove the button plug




再取下按键后面螺丝
/Remove the screw
behind the button
again



撬开档把小垫片并取下
螺丝/Pry open the
gear lever and
remove the small
gasket and screw



撬开档把盖/Pry open
the gear lever cover



取下档把盖/Remove
the gear lever cover



取下档把固定螺丝
/Remove the fixing
screw of the gear le



取下档把并撬开档把装
饰板/Remove the gear
lever and pry open
the gear lever
decorative panel



移开档把装饰板再撬下
小储物盒/Move the
gear aside, remove
the decorative
panel, and pry off
the small storage
box



取下小储物盒并取下插
头/Remove the small
storage box and
remove the plug




撬下左边装饰板/Pry
off the left
decorative panel



撬下空调控制面板/Pry
off the air
conditioning control
pan



取下空调控制面板
/Remove the air
conditioning control
pa



取下空调面板后再取下
后面的螺丝/Remove
the air conditioning
panel and then
remove the screws at
the back



撬下风口装饰板/Pry off the air vent decorative panel



撬下风口装饰板/Pry off the air vent decorative panel



撬下风口装饰板/Pry off the air vent decorative panel



撬下风口装饰板/Pry off the air vent decorative panel



取下风口装饰板并拔下风口插头/Remove the air vent decorative panel and unplug the air vent plug



取下风口装饰板并拔下风口插头/Remove the air vent decorative panel and unplug the air vent plug



取下风口装饰板并拔下风口插头/Remove the air vent decorative panel and unplug the air vent plug



取下显示屏固定螺丝/Remove the fixing screws of the display screen



取下显示屏，并把显示屏支架取下/Remove the display screen and remove the display screen bracket



取下原车显示屏固定机架/Remove the fixed rack of the original car display screen



把我司机器固定在原车机架上/Fix our machine onto the original vehicle rack



把我司配的专用线材安装好并测试好功能后再复原安装好/Install and test the special cables provided by our company before reinstalling and installing them



安装后再把我司配的专用装饰条扣到机器上/After installation,
fasten the specialized decorative strip provided by our company
onto the machine