

🌿 **FOREST** 🌿


USER MANUAL

1. Specifications
2. Chassis Parts
3. Control Panel Functions
4. 3.5"/2.5" HDD/SSD Installation
5. Remove the Front panel
6. Cooling System Installation
7. PSU Fans Installation
8. Fan Installation
9. RGB Lighting Switching
10. ARGB IC Board Installation

Specifications


Model	
Model Name:	Forest
Model Number:	CSAZ-370
Specifications	
Type:	ATX Mid Tower
Color:	Black
Side Panel Window:	Left side panel: Slidable tempered glass panel
Max CPU Cooler Height:	UP to 160 mm
Max Video Card Length:	Up to 330 mm long video card
Power Supply:	Not included
Motherboard Compatibility:	ATX · Micro ATX · ITX
Expansion	
External 5.25" Drive Bays:	0
Internal 2.5" Drive Bays:	Up to 4
Internal 3.5" Drive Bays:	Up to 2
Expansion Slots:	7
Top Ports:	Power button, LED button, Combo HD Audio, USB 3.0 x 2
Physical Specifications	
Physical Dimension(HxWxD)	486x205x400mm/19x8.1x15.7 inches
Weight:	6Kg /13.2lbs
Features	
Addressable RGB Light Effects:	Addressable RGB devices connected to the ARGB&PWM control board can be controlled with the LED button or motherboard lighting software.
Available Fan Ports:	3x120mm or 2x140mm fan ports in the front (3x120mm LFO-5212D ARGB&PWM Fan included) 2x120mm or 2x140mm fan ports on the top 1x120mm fan port in the rear (1x120mm LFO-5212D ARGB&PWM Fan included) 2 x 120 mm fan ports on the PSU shroud
Water Cooling:	Supports radiators up to 280/360mm in the Front Supports radiators up to 240/280mm in the Top
Dust Filters:	Removable (magnetic) dustproof net on the top, dust filter on bottom of chassis.
Power Supply Support:	Bottom mounted ATX Power Supply

Chassis Parts





1	Front panel
2	Metal side panel
3	Removable magnetic mesh
4	Hard disk cage
5	3.5"HDD/ 2.5"SSD brackets
6	Chassis
7	Tempered glass panel
8	Dust filter mesh


Control Panel Functions



	POWER
	LED
	HD Audio

	USB3.0
	USB 3.0

3.5" / 2.5" HDD/SSD Installation



- Supports up to 330mm long video cards.




or




- Multifunctional hard disk bracket supports 3.5" HDD x 1 or 2.5" SSD x1 (**A**)
- 2.5" SSD metal tray support 2.5"SSD x2 (**C**)
- Multifunctional hard disk cage supports 3.5" HDD x 1 or 2.5" SSD x 1(**B**)

Remove the Front panel





Cooling System Installation

Front




Max Height of Radiator
360mm



120mm x3



or



140mm x2


Cooling System Installation

Rear




120mm x1

Top




120mm x2


or



140mm x2




PSU Fans Installation




2x120mm fan ports on the Power Supply Shroud


Fan Installation




RGB Lighting Switching




- Press the LED button to cycle through different RGB lighting modes.



ARGB IC Board Installation



LED Hold 2 Secs
(White light flash 2 times)



LED Hold 1 Sec

LED 1 Sec
Circle change the 18 modes
6 Secs
Turn off the light (White light flash 4 times)

RGB control board and motherboard RGB lighting modes support the Power-off memory lighting effect function.