

KIMO

INSTRUCTION MANUAL





MODEL: 20V 2.0Ah Lithium-Ion Battery

Please Contact Us By:

 Email: service@kimotools.com

 Website: www.kimotool.com

 Hotline: +1 833 303 1997

 WhatsApp: +86 189 3805 9242

service@kimotools.com

CONTENTS

GENERAL USE RULES	1
SAFETY INSTRUCTIONS FOR BATTERY.....	2
Premium After Service From KIMO	3

SAVE THIS INSTRUCTIONAL MANUAL FOR FUTURE REFERENCE



WARNING! Read and figure out all instructions. Failure to follow all instructions listed below may result in electric shock, fire and/or serious personal injury.

GENERAL USE RULES

Install the battery

(1) To install the battery pack: Depress the battery green button and insert the battery pack into the tool, until an audible click is heard, release the button, allowing the battery pack to slide fully in and secure.

(2) To remove the battery pack: Depress the battery green button and then pull the battery pack out of the tool.

Charge Battery

(1) To Charge the battery, align the battery pack with the bay and slide the battery pack into the charger as far as possible.

(2) The red light will come on, either flashing continuously, A fully discharged battery pack with an internal temperature in the normal range will charge in 30 to 90 minutes, depending on the battery pack and charger.

(3) KIMO 2.0 batteries have built-in overheating and overcharge protection. If the battery stops charging, check the battery indicator light. If all four lights are on, it may be fully charged.

Charging Indicator

Red Indicator	Green Indicator	Battery Pack	Status
ON	OFF	Charging	Charging
OFF	ON	Charged	Charged
OFF	OFF	Short Circuited	Short Circuited

SAFETY INSTRUCTIONS FOR BATTERY

1, Please fully charge the battery before every use (newly received batteries also have no power).

2, Please note that the battery is exclusively designed to be compatible with the KIMO 20v tools, and use a KIMO 20V charger to charge it.

3, If you plan not to use the battery for a long time, store it in a clean, dry, cool place away from heat sources and metal objects.

4, How to avoid shorting the battery cartridge

(1) Do not touch the terminals with any conductive material

(2) Avoid storing battery cartridges in a container with other metal objects such as nails, coins, etc.

(3) Do not expose the battery cartridge to water or rain.

A battery short can cause a large current flow, overheating, possible burns and even a breakdown

5, Do not drop or strike the battery.

6, Do not disassemble the battery cartridge.

7, Do not incinerate the battery cartridge even if it is severely damaged or completely worn out because the battery cartridge can explode in a fire.

KIMO

Premium After Service From KIMO

Dear Customer,

Thank you very much for choosing KIMO.

If you have any questions when you receive the product, please feel free to contact us by **Email:**
service@kimotools.com. We believe that our customer service team will give you a satisfactory solution.

KIMO professional customer service team will give you a prompt answer within 24 hours. So do not hesitate to contact us when you have any question.

Best Regards,
KIMO Customer Support