



# 12 x 20 ft 2-Section Shelter

---

## User Manual



---

Please read and understand all instructions before use. Retain this manual for future reference.



# 12 x 20 ft 2-Section Shelter


## SPECIFICATIONS

Type	Six-pole
Coverage Area	200 sq. ft
Volume Capacity	2,000 cu. ft
Overall Dimensions (L x W x H)	12 x 20 x 9 ft
Inner Dimension (L x W x H)	10 x 20 x 9 (at peak)
Material	Galvanized steel pipe Polyethylene tarpaulin
Colour	Grey with UV coating
Includes	bungee cords (40), pipes (24), tees (6), crosses (3) and foot pads (6)

## INTRODUCTION

This shelter is ideal for use as a picnic tent, patio covering or car, boat and RV port. It's easy to assemble with no tools required and features galvanized-steel infrastructure that resists rust and corrosion and polyethylene tarpaulin that protects against UV rays, rain, snow and more.

# PARTS BREAKDOWN



## PARTS LIST

#	DESCRIPTION	QTY
1A	Pipe 78 in.	6
1B	Pipe 44 in.	6
2	Pipe 78 in.	6
3	Pipe 68 in.	6
4	Tarp 12 x 20 ft (not pictured)	1
5	Ball bungee 8-1/2 in. (not pictured)	40
6	Four-way fitting	3
7	Three-way fitting	6
8	Foot pad	6



# Abri en 2 parties, 12 x 20 pi

---

Manuel d'utilisateur



---

Vous devez lire et comprendre toutes les instructions avant d'utiliser l'appareil.  
Conservez ce manuel afin de pouvoir le consulter plus tard.



# Abri en 2 parties, 12 x 20 pi


## SPÉCIFICATIONS

Type	Surface de couverture
Surface de couverture	200 pi carrés
Capacité en volume	2 000 pi cubes
Dimensions hors tout. (long. x larg. x haut)	12 x 20 x 9 pi
Dimensions intérieures (long. x larg. x haut)	10 x 20 x 9 pi (au sommet)
Matériau	Tuyau en acier galvanisé Polyéthylène bâche
Couleur	Gris avec revêtement UV
Comprend	40 tendeurs élastiques, 24 tuyaux, 6 tés, 3 croix et 6 plaques de pied

## INTRODUCTION

Cet abri est idéal comme tente de pique-nique, couvre-patio ou abri pour véhicule, bateau ou VR. Il est facile à assembler, car aucun outil n'est requis et il se caractérise par une infrastructure en acier galvanisé qui est résistante à la rouille et la corrosion et une bâche en polyéthylène qui protège contre les rayons UV, la pluie, la neige et plus encore.

# RÉPARTITION DES PIÈCES



## LISTE DES PIÈCES

N°	DESCRIPTION	QTÉ
1A	Tuyau, 78 po	6
1B	Tuyau, 44 po	6
2	Tuyau, 78 po	6
3	Tuyau, 68 po	6
4	Bâche, 12 x 20 pi (non illustrée)	1
5	Tendeur élastique avec boule, 8 1/2 po (non illustré)	40
6	Raccord à 4 positions	3
7	Raccord à 3 positions	6
8	Plaque de pied	6