


# SmallRig


- EN** Operating Instruction
- DE** Betriebsanweisungen
- FR** Instructions opérationnelles
- IT** Istruzioni per l'uso
- ES** Instrucciones operativas
- PT** Instruções de funcionamento
- NL** Gebruiksaanstructies
- SE** Bruksanvisning



240W 4-Port PD Power Adapter

## Product Details

|                               |                             |                              |
|-------------------------------|-----------------------------|------------------------------|
| DE: Produkte                  | FR: Introduction du produit | IT: Descrizione del prodotto |
| ES: Presentación del producto | PT: Apresentação do Produto |                              |
| NL: Productinleiding          | SE: Produktbeskrivning      |                              |



| Item                  |             | Specification                                                                                                                                                                                                                                                                          |
|-----------------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Total power output    |             | 240W                                                                                                                                                                                                                                                                                   |
| Power Input           |             | 100-240VAC 50 / 60Hz 4.0A                                                                                                                                                                                                                                                              |
| Power Output          | Single-port | USB-C1 / C2 / C3 / C4:<br>5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A,<br>20.0V=5.0A, 28.0V=5.0A<br>Total: 140W (Max)                                                                                                                                                                 |
|                       | Dual-port   | USB-C1 + C2 / C3 + C4:<br>100W + 40W / 40W + 100W / 70W + 70W<br>Total: 140W (Max)<br>C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W<br>Total: 240W (Max)                                                                                                                          |
|                       | Three-port  | USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W<br>/ 100W + 40W + 100W / 40W + 100W + 100W<br>Total: 240W (Max)<br>USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W<br>/ 140W + 40W + 60W / 140W + 50W + 50W<br>Total: 240W (Max)                                                   |
|                       | All-port    | USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W<br>/ 100W + 40W + 40W + 60W / 100W + 40W + 50W<br>+ 50W / 70W + 70W + 50W + 50W / 70W + 70W<br>+ 60W + 40W / 70W + 70W + 40W + 60W / 40W<br>+ 100W + 40W + 60W / 40W + 100W + 60W + 40W<br>/ 40W + 100W + 50W + 50W<br>Total: 240W (Max) |
| Material              |             | PC                                                                                                                                                                                                                                                                                     |
| Net Weight of Product |             | 664.0 ± 10.0g / 23.4 ± 0.4oz                                                                                                                                                                                                                                                           |
| Product Dimensions    |             | 122.0 × 88.0 × 35.0mm / 4.8 × 3.5 × 1.3in                                                                                                                                                                                                                                              |

| Artikel               |                   | Spezifikation                                                                                                                                                                                                                                                                          |
|-----------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Gesamtleistungsabgabe |                   | 240W                                                                                                                                                                                                                                                                                   |
| Leistungsaufnahme     |                   | 100-240VAC 50 / 60Hz 4.0A                                                                                                                                                                                                                                                              |
| Ausgangsleistung      | Einzelanschluss   | USB-C1 / C2 / C3 / C4:<br>5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A,<br>20.0V=5.0A, 28.0V=5.0A<br>Total: 140W (Max)                                                                                                                                                                 |
|                       | Zweifachanschluss | USB-C1 + C2 / C3 + C4:<br>100W + 40W / 40W + 100W / 70W + 70W<br>Total: 140W (Max)<br>C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W<br>Total: 240W (Max)                                                                                                                          |
|                       | Drei Anschlüsse   | USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W<br>/ 100W + 40W + 100W / 40W + 100W + 100W<br>Total: 240W (Max)<br>USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W<br>/ 140W + 40W + 60W / 140W + 50W + 50W<br>Total: 240W (Max)                                                   |
|                       | Alle Anschlüsse   | USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W<br>/ 100W + 40W + 40W + 60W / 100W + 40W + 50W<br>+ 50W / 70W + 70W + 50W + 50W / 70W + 70W<br>+ 60W + 40W / 70W + 70W + 40W + 60W / 40W<br>+ 100W + 40W + 60W / 40W + 100W + 60W + 40W<br>/ 40W + 100W + 50W + 50W<br>Total: 240W (Max) |
| Material              |                   | PC                                                                                                                                                                                                                                                                                     |
| Nettogewicht          |                   | 664.0 ± 10.0g / 23.4 ± 0.4oz                                                                                                                                                                                                                                                           |
| Produktgröße          |                   | 122.0 × 88.0 × 35.0mm / 4.8 × 3.5 × 1.3in                                                                                                                                                                                                                                              |

| Élément                    |             | Spécifications                                                                                                                                                                                                                                                                         |
|----------------------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Puissance totale de sortie |             | 240W                                                                                                                                                                                                                                                                                   |
| Puissance absorbée         |             | 100-240VAC 50 / 60Hz 4.0A                                                                                                                                                                                                                                                              |
| Puissance de sortie        | Port unique | USB-C1 / C2 / C3 / C4:<br>5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A,<br>20.0V=5.0A, 28.0V=5.0A<br>Total: 140W (Max)                                                                                                                                                                 |
|                            | Double port | USB-C1 + C2 / C3 + C4:<br>100W + 40W / 40W + 100W / 70W + 70W<br>Total: 140W (Max)<br>C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W<br>Total: 240W (Max)                                                                                                                          |
|                            | Trois ports | USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W<br>/ 100W + 40W + 100W / 40W + 100W + 100W<br>Total: 240W (Max)<br>USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W<br>/ 140W + 40W + 60W / 140W + 50W + 50W<br>Total: 240W (Max)                                                   |
|                            | Tous ports  | USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W<br>/ 100W + 40W + 40W + 60W / 100W + 40W + 50W<br>+ 50W / 70W + 70W + 50W + 50W / 70W + 70W<br>+ 60W + 40W / 70W + 70W + 40W + 60W / 40W<br>+ 100W + 40W + 60W / 40W + 100W + 60W + 40W<br>/ 40W + 100W + 50W + 50W<br>Total: 240W (Max) |
| Matériau                   |             | PC                                                                                                                                                                                                                                                                                     |
| Poids net du produit       |             | 664.0 ± 10.0g / 23.4 ± 0.4oz                                                                                                                                                                                                                                                           |
| Taille du produit          |             | 122.0 × 88.0 × 35.0mm / 4.8 × 3.5 × 1.3in                                                                                                                                                                                                                                              |

| Progetto                 |                  | Specifica                                                                                                                                                                                                                                                                              |
|--------------------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Potenza totale in uscita |                  | 240W                                                                                                                                                                                                                                                                                   |
| Potenza in ingresso      |                  | 100-240VAC 50 / 60Hz 4.0A                                                                                                                                                                                                                                                              |
| Potenza in uscita        | Porta singola    | USB-C1 / C2 / C3 / C4:<br>5.0V=3.0A, 9.0V=3.0A, 12.0V=3.0A, 15.0V=3.0A,<br>20.0V=5.0A, 28.0V=5.0A<br>Total: 140W (Max)                                                                                                                                                                 |
|                          | Doppia porta     | USB-C1 + C2 / C3 + C4:<br>100W + 40W / 40W + 100W / 70W + 70W<br>Total: 140W (Max)<br>C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W<br>Total: 240W (Max)                                                                                                                          |
|                          | A tre porte      | USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W<br>/ 100W + 40W + 100W / 40W + 100W + 100W<br>Total: 240W (Max)<br>USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W<br>/ 140W + 40W + 60W / 140W + 50W + 50W<br>Total: 240W (Max)                                                   |
|                          | A tutte le porte | USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W<br>/ 100W + 40W + 40W + 60W / 100W + 40W + 50W<br>+ 50W / 70W + 70W + 50W + 50W / 70W + 70W<br>+ 60W + 40W / 70W + 70W + 40W + 60W / 40W<br>+ 100W + 40W + 60W / 40W + 100W + 60W + 40W<br>/ 40W + 100W + 50W + 50W<br>Total: 240W (Max) |
| Materiale                |                  | PC                                                                                                                                                                                                                                                                                     |
| Peso del prodotto        |                  | 664.0 ± 10.0g / 23.4 ± 0.4oz                                                                                                                                                                                                                                                           |
| Taglia del prodotto      |                  | 122.0 × 88.0 × 35.0mm / 4.8 × 3.5 × 1.3in                                                                                                                                                                                                                                              |

| Artículo                 |                   | Especificación                                                                                                                                                                                                                                                                         |
|--------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Potencia total de salida |                   | 240W                                                                                                                                                                                                                                                                                   |
| Potencia de entrada      |                   | 100-240VAC 50 / 60Hz 4.0A                                                                                                                                                                                                                                                              |
| Potencia de salida       | Puerto único      | USB-C1 / C2 / C3 / C4:<br>5.0V $\sim$ 3.0A, 9.0V $\sim$ 3.0A, 12.0V $\sim$ 3.0A, 15.0V $\sim$ 3.0A,<br>20.0V $\sim$ 5.0A, 28.0V $\sim$ 5.0A<br>Total: 140W (Max)                                                                                                                       |
|                          | Doble puerto      | USB-C1 + C2 / C3 + C4:<br>100W + 40W / 40W + 100W / 70W + 70W<br>Total: 140W (MAX)<br>C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W<br>Total: 240W (Max)                                                                                                                          |
|                          | Tres puertos      | USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W<br>/ 100W + 40W + 100W / 40W + 100W + 100W<br>Total: 240W (Max)<br>USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W<br>/ 140W + 40W + 60W / 140W + 50W + 50W<br>Total: 240W (Max)                                                   |
|                          | Todos los puertos | USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W<br>/ 100W + 40W + 40W + 60W / 100W + 40W + 50W<br>+ 50W / 70W + 70W + 50W + 50W / 70W + 70W<br>+ 60W + 40W / 70W + 70W + 40W + 60W / 40W<br>+ 100W + 40W + 60W / 40W + 100W + 60W + 40W<br>/ 40W + 100W + 50W + 50W<br>Total: 240W (Max) |
| Materiale                |                   | PC                                                                                                                                                                                                                                                                                     |
| Peso neto del producto   |                   | 664.0 $\pm$ 10.0g / 23.4 $\pm$ 0.4oz                                                                                                                                                                                                                                                   |
| Tamaño del producto      |                   | 122.0 $\times$ 88.0 $\times$ 35.0mm / 4.8 $\times$ 3.5 $\times$ 1.3in                                                                                                                                                                                                                  |

| Item                    |                 | Especificação                                                                                                                                                                                                                                                                          |
|-------------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Potência total de saída |                 | 240W                                                                                                                                                                                                                                                                                   |
| Entrada de potência     |                 | 100-240VAC 50 / 60Hz 4.0A                                                                                                                                                                                                                                                              |
| Saída de potência       | Porta única     | USB-C1 / C2 / C3 / C4:<br>5.0V $\rightarrow$ 3.0A, 9.0V $\rightarrow$ 3.0A, 12.0V $\rightarrow$ 3.0A, 15.0V $\rightarrow$ 3.0A,<br>20.0V $\rightarrow$ 5.0A, 28.0V $\rightarrow$ 5.0A<br>Total: 140W (Max)                                                                             |
|                         | Porta dupla     | USB-C1 + C2 / C3 + C4:<br>100W + 40W / 40W + 100W / 70W + 70W<br>Total: 140W (Max)<br>C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W<br>Total: 240W (Max)                                                                                                                          |
|                         | Três portas     | USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W<br>/ 100W + 40W + 100W / 40W + 100W + 100W<br>Total: 240W (Max)<br>USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W<br>/ 140W + 40W + 60W / 140W + 50W + 50W<br>Total: 240W (Max)                                                   |
|                         | Todas as portas | USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W<br>/ 100W + 40W + 40W + 60W / 100W + 40W + 50W<br>+ 50W / 70W + 70W + 50W + 50W / 70W + 70W<br>+ 60W + 40W / 70W + 70W + 40W + 60W / 40W<br>+ 100W + 40W + 60W / 40W + 100W + 60W + 40W<br>/ 40W + 100W + 50W + 50W<br>Total: 240W (Max) |
| Material                |                 | PC                                                                                                                                                                                                                                                                                     |
| Peso líquido            |                 | 664.0 $\pm$ 10.0g / 23.4 $\pm$ 0.4oz                                                                                                                                                                                                                                                   |
| Dimensões do produto    |                 | 122.0 $\times$ 88.0 $\times$ 35.0mm / 4.8 $\times$ 3.5 $\times$ 1.3in                                                                                                                                                                                                                  |



| Item                         |               | Specificaties                                                                                                                                                                                                                                                                                 |
|------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Totaal uitgangsvermogen      |               | 240W                                                                                                                                                                                                                                                                                          |
| Ingevoerd vermogen           |               | 100-240VAC 50 / 60Hz 4.0A                                                                                                                                                                                                                                                                     |
| Uitgangsvermogen             | Enkele poort  | USB-C1 / C2 / C3 / C4:<br>5.0V $\sim$ 3.0A, 9.0V $\sim$ 3.0A, 12.0V $\sim$ 3.0A, 15.0V $\sim$ 3.0A,<br>20.0V $\sim$ 5.0A, 28.0V $\sim$ 5.0A<br><b>Total: 140W (Max)</b>                                                                                                                       |
|                              | Dubbele poort | USB-C1 + C2 / C3 + C4:<br>100W + 40W / 40W + 100W / 70W + 70W<br><b>Total: 140W (Max)</b><br>C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W<br><b>Total: 240W (Max)</b>                                                                                                                   |
|                              | Driepoorts    | USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W<br>/ 100W + 40W + 100W / 40W + 100W + 100W<br><b>Total: 240W (Max)</b><br>USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W<br>/ 140W + 40W + 60W / 140W + 50W + 50W<br><b>Total: 240W (Max)</b>                                            |
|                              | Alle poorten  | USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W<br>/ 100W + 40W + 40W + 60W / 100W + 40W + 50W<br>+ 50W / 70W + 70W + 50W + 50W / 70W + 70W<br>+ 60W + 40W / 70W + 70W + 40W + 60W / 40W<br>+ 100W + 40W + 60W / 40W + 100W + 60W + 40W<br>/ 40W + 100W + 50W + 50W<br><b>Total: 240W (Max)</b> |
| Materiaal                    |               | PC                                                                                                                                                                                                                                                                                            |
| Nettogewicht van het product |               | 664.0 $\pm$ 10.0g / 23.4 $\pm$ 0.4oz                                                                                                                                                                                                                                                          |
| Productafmetingen            |               | 122.0 $\times$ 88.0 $\times$ 35.0mm / 4.8 $\times$ 3.5 $\times$ 1.3in                                                                                                                                                                                                                         |

| Artikel                 |               | Specifikation                                                                                                                                                                                                                                                                          |
|-------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Total uteffekt          |               | 240W                                                                                                                                                                                                                                                                                   |
| Inmatad effekt          |               | 100-240VAC 50 / 60Hz 4.0A                                                                                                                                                                                                                                                              |
| Utmatad effekt          | Enkel port    | USB-C1 / C2 / C3 / C4:<br>5.0V $\rightarrow$ 3.0A, 9.0V $\rightarrow$ 3.0A, 12.0V $\rightarrow$ 3.0A, 15.0V $\rightarrow$ 3.0A,<br>20.0V $\rightarrow$ 5.0A, 28.0V $\rightarrow$ 5.0A<br>Total: 140W (Max)                                                                             |
|                         | Dubbla portar | USB-C1 + C2 / C3 + C4:<br>100W + 40W / 40W + 100W / 70W + 70W<br>Total: 140W (Max)<br>C1 + C3 / C1 + C4 / C2 + C3 / C2 + C4: 140W + 100W<br>Total: 240W (Max)                                                                                                                          |
|                         | Tre portar    | USB-C1 + C2 + C3 / C1 + C2 + C4: 70W + 70W + 100W<br>/ 100W + 40W + 100W / 40W + 100W + 100W<br>Total: 240W (Max)<br>USB-C2 + C3 + C4 / C1 + C3 + C4: 140W + 60W + 40W<br>/ 140W + 40W + 60W / 140W + 50W + 50W<br>Total: 240W (Max)                                                   |
|                         | Alla portar   | USB-C1 + C2 + C3 + C4: 100W + 40W + 60W + 40W<br>/ 100W + 40W + 40W + 60W / 100W + 40W + 50W<br>+ 50W / 70W + 70W + 50W + 50W / 70W + 70W<br>+ 60W + 40W / 70W + 70W + 40W + 60W / 40W<br>+ 100W + 40W + 60W / 40W + 100W + 60W + 40W<br>/ 40W + 100W + 50W + 50W<br>Total: 240W (Max) |
| Material                |               | PC                                                                                                                                                                                                                                                                                     |
| Nettovikt för produkten |               | 664.0 $\pm$ 10.0g / 23.4 $\pm$ 0.4oz                                                                                                                                                                                                                                                   |
| Produktens mått         |               | 122.0 $\times$ 88.0 $\times$ 35.0mm / 4.8 $\times$ 3.5 $\times$ 1.3in                                                                                                                                                                                                                  |

Manufacturer: Shenzhen Leqi Innovation Co., Ltd.

Add: Rooms 103, 501 and 601, Building 5, Fenghe Industrial Park, Nos. 1301-50  
Guanguang Road, Longhua District, Shenzhen, Guangdong, China.

Consignor: Shenzhen LC Co., Ltd.

Add: Rooms 602, Building 5, Fenghe Industrial Park, No. 1301-50 Guanguang Road,  
Xinlan Community, Guanlan Street, Longhua District, Shenzhen, Guangdong, China.

.....

执行标准: GB4943.1-2022

**CE RoHS FCC**



LQ-B324-18

Made in China



FREE YOUR DREAM