

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

TWO BALL MOUNT HITCHES

**MODEL: 2"-DROP6" / 2"-DROP8" / 2"-DROP10" /
2.5"-DROP6" / 2.5"-DROP8" / 2.5"-DROP10"**

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

TWO BALL MOUNT HITCHES

MODEL: 2"-DROP6" / 2"-DROP8" / 2"-DROP10" / 2.5"-DROP6" /
2.5"-DROP8" / 2.5"-DROP10"



NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.



Warning-To reduce the risk of injury, users must read the instructions manual carefully.

WARNING:

1. Never exceed the vehicle manufacturer's recommended towing capacity. The ratings of the mounting system are intended to represent the product's capability and in no way reflect the ratings or capacity of the towing system it is being used with. The consumer or operator is strongly advised to learn the ratings of the various components of the towing system and never exceed the limits of the lowest-rated component being used.
2. Use of any pin other than that of the mount system manufacturer could be a serious safety hazard and will void the warranty. Never hook up trailer safety chains to the mounting system.
3. Ensure the safety chains operate freely around the mounting system and do not become entangled.
4. This product is not a toy, and the ball mount hitches cannot be used as toys for children.

CAUTION:

1. Defective accessories should be replaced immediately. Defective accessories can lead to personal injury and material damage.
2. During their period of use, accessories must be checked for wear, cracks, and other damage.

SAVE THESE INSTRUCTIONS

MODEL AND PARAMETERS

Model	Receiver Tube	Maximum Drop	Dual Ball	Gross Trailer Weight
2"-DROP6"	2"	6"	2" x 2-5/16"	10,000lbs. X 14,000lbs.
2"-DROP8"	2"	8"		
2"-DROP10"	2"	10"		
2.5"-DROP6"	2.5"	6"		10,000lbs. X 14,500lbs.
2.5"-DROP8"	2.5"	8"		
2.5"-DROP10"	2.5"	10"		

PARTS LIST



#1 Channel mount x 1



#2 Dual ball x 1



#3 Security lock x 2



#4 Plug x 1



#5 Hitch pin x 3



#6 Silencer pad x 4

ASSEMBLY & INSTALLATION


Step 1:

Insert into the Trailer Hitch Begin by installing the channel mount (#1) into the trailer hitch receiver. Then, secure it with the hitch pin (#5).



Step 2:


Determine Required Ball Height Determine the proper ball height by leveling the trailer and measuring from the bottom of the trailer tongue to the ground. See below.



Find the hole closest to that measurement on the channel mount (#1). The top pin of the dual-ball (#2) will go in that hole. Secure all security locks (#3) and plug (#4) with the hitch pins (#5).

INSTALLATION DETAILS

1. A shock-absorbing pad is installed on the back of the dual ball head part (installed at the factory and does not need to be installed by the user) to ensure that the product will not make abnormal noise when the vehicle is driving.



2. To prevent the security lock from shaking after installation, the security lock is equipped with 4 rubber rings. The installation may not require many rubber rings, and some can be removed as needed.



3. There are 4 silencer pads in the accessories; choose the corresponding quantity according to the installation needs.



MAINTENANCE

1. Please clean up the product at a time when sand or gravel sticks on it.
2. Inspect all equipment for loose or worn parts before each use and replace or tighten as needed.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

Made In China