

User Manual for OEM 1J0919309 Car Accessory

Version: V1.0

Language: English

Format: PDF Suitable

OEM Number: 1J0919309

1. Product Information

1.1 Product Name

Car Interior Trim Panel Clip / Fastener (OEM 1J0919309)

Applicable Models: Volkswagen Series (including Golf, Jetta, Passat, Tiguan, Polo) – compatible with models using OEM 1J0919309 as the standard trim panel fastener, covering most Volkswagen models produced between 2000-2018 (please confirm your vehicle's original part number before purchase to ensure compatibility).

1.2 Product Overview

OEM 1J0919309 is a direct replacement trim panel clip designed for Volkswagen vehicles. It is a core fastener used to secure interior trim panels (such as door trim, instrument desk trim, pillar trim, and trunk trim) to the vehicle body. This product strictly follows the original OEM specifications, ensuring perfect compatibility with the original mounting holes and trim panels, and restores the firm fixing function of the interior trim.

The product is used to replace old, broken, or lost trim panel clips, preventing trim panels from loosening, rattling, or falling off during vehicle operation, and maintaining the neat and intact appearance of the vehicle's interior.

1.3 Material & Features

- **Material:** High-quality nylon plastic (OEM standard), with high toughness, wear resistance, and impact resistance, suitable for long-term use in the vehicle interior environment, resistant to high and low temperatures (-30°C to 80°C) and anti-aging[5].
- **Color:** Black (matches the standard color of Volkswagen interior trim fasteners, consistent with the original parts, ensuring no visual inconsistency after installation).

- **Structure:** One-piece injection molding, with a cylindrical body and a serrated locking structure at the top, which can firmly clamp the mounting hole of the vehicle body and the trim panel; the bottom is designed with a circular base to prevent the clip from falling into the vehicle body after installation, consistent with the original OEM 1J0919309 structure.
- **Features:**
 - 100% OEM matching: Strictly manufactured according to the size and specifications of OEM 1J0919309, direct original position replacement, no modification required.
 - High-precision molding: The size error is less than 0.1mm, perfectly fitting the original mounting holes and trim panels, no looseness after installation.
 - Strong bearing capacity: The serrated locking structure can bear the weight of the trim panel stably, not easy to break or slip during vehicle vibration.
 - Easy installation and disassembly: Simple press-in installation, easy to remove with a plastic trim tool without damaging the trim panel or vehicle body.
 - Durable and reliable: Nylon material is corrosion-resistant and not easy to age, effectively extending the service life of the trim panel fastener.

1.4 Package Contents

- 10 x OEM 1J0919309 Car Interior Trim Panel Clips (packaging quantity can be adjusted according to actual needs)
- 1 x English User Manual

1.5 Product Image Description

The product images (not included in this manual, provided separately) show the detailed appearance and structure of OEM 1J0919309 trim panel clips, including the following key views to help you confirm the product compatibility and installation position:

- **Front View:** Shows the overall cylindrical shape, serrated locking structure at the top, and circular base at the bottom, consistent with the original OEM 1J0919309 clip.
- **Side View:** Displays the thickness of the clip, the slope of the serrated structure, and the height of the base, helping to understand the installation principle and matching with the mounting hole.
- **Installation Position View:** Shows the clip installed between the vehicle interior trim panel and the body, clearly indicating how the clip fixes the trim panel.
- **Detail View:** Highlights the serrated locking structure, the smoothness of the clip surface, and the thickness of the base, ensuring the product's consistency with the original OEM parts.

Note: Please check the product images carefully before installation to confirm that the shape, size, and structure are consistent with the original trim panel clip of your vehicle (OEM 1J0919309).

2. Safety Precautions

- Work only when the vehicle is turned off and parked safely (handbrake engaged, parked on a flat surface) to avoid accidental startup or sliding during operation.
 - Use only plastic trim removal tools (recommended) during disassembly and installation; avoid using sharp tools (such as screwdrivers, knives) to prevent scratches on the interior trim panel, vehicle body, or the product itself.
 - Do not use excessive force when installing or removing the clip, as this may damage the clip, mounting hole, or trim panel.
 - Keep the product and installation tools away from children to avoid accidental injury or damage to the product.
 - Before installation, clean the mounting hole and trim panel contact surface to remove dust, dirt, and oil stains, ensuring the clip can be installed firmly.
 - Do not reuse old or damaged clips; replace them with new OEM 1J0919309 clips to ensure the fixing effect.
-

3. Installation Instructions

Tools Required

- Plastic trim removal tool (recommended) or flat plastic spatula (to avoid scratching the interior trim).
- Clean cloth (to wipe the mounting hole and trim panel contact surface).
- Tweezers (optional, for taking small clips and aligning with mounting holes).

Step 1: Prepare for Installation

1. Park the vehicle on a flat, stable surface, engage the handbrake, and turn off the engine.
2. Use a clean cloth to wipe the mounting hole (on the vehicle body) and the contact surface of the trim panel, removing dust, dirt, and oil stains to ensure the installation surface is clean and dry—this helps the clip fit firmly.
3. Take out the new OEM 1J0919309 clips from the package, check for cracks, damage, or deformation, and confirm that the product matches the original clip (refer to the product images).

Step 2: Remove the Old/Damaged Clip (if applicable)

1. Locate the loose or damaged clip on the interior trim panel (such as door trim, pillar trim).
2. Gently insert the plastic trim removal tool into the gap between the trim panel and the vehicle body, near the old clip.
3. Pry the trim panel slightly outward to expose the old clip, then gently pull the clip upward or outward to remove it from the mounting hole. If the clip is stuck, do not force it—wiggle it slightly while pulling to avoid damaging the mounting hole or trim panel[1].
4. Dispose of the old clip properly; do not reuse it.

Step 3: Install the New OEM 1J0919309 Clip

1. Align the serrated top of the new clip with the mounting hole on the vehicle body (ensure the clip is perpendicular to the mounting hole).
2. Place the trim panel in the correct position, aligning the clip hole on the trim panel with the top of the clip.
3. Gently press the trim panel (at the position of the clip) downward with even force until you hear a "click", indicating that the clip is fully locked into the mounting hole and the trim panel is fixed firmly.
4. After installation, gently tap the trim panel around the clip to confirm that there is no looseness or rattling.

Step 4: Test the Installation

1. Check all installed clips to ensure each clip is fully locked and the trim panel is fixed firmly without looseness.
2. Close and open the door (if installing door trim clips) or adjust the trim panel slightly to test the stability of the clip.
3. If the trim panel is loose or the clip falls off, remove the clip and re-install it, ensuring the clip is aligned with the mounting hole and pressed firmly into place.

4. Usage & Maintenance

Normal Use

- The clip is used to fix the interior trim panel; do not use it for other purposes (such as fixing heavy objects) to avoid damage.
- Avoid frequent disassembly of the trim panel, as this may wear the clip and mounting hole, affecting the fixing effect.

- During vehicle cleaning, avoid using high-pressure water to flush the clip directly, as this may cause the clip to loosen or the material to age.

Cleaning

- Wipe the surface of the clip regularly with a dry or lightly damp clean cloth to remove dust and dirt.
- If there are stubborn stains, use a small amount of mild interior cleaner (avoid harsh chemicals such as alcohol, benzine, or thinner), wipe gently, and dry immediately after cleaning to prevent damage to the clip's surface.

Replacement Interval

- Replace the clip if it is cracked, broken, deformed, or cannot fix the trim panel firmly (e.g., trim panel loosens, rattles, or falls off).
- Recommended replacement interval: 4–6 years or 60,000–80,000 km, depending on usage frequency and environment. If the clip shows signs of wear (e.g., serrated structure is smooth, clip is loose), replace it in time to avoid damage to the trim panel.

5. Troubleshooting

Problem	Possible Cause	Solution
Clip cannot be pressed into the mounting hole	Mounting hole is blocked by dust; clip is not aligned with the mounting hole; clip is deformed	Clean the mounting hole; re-align the clip with the mounting hole; replace the clip if it is deformed.
Clip falls off after installation	Clip is not pressed firmly; mounting hole is worn; clip is damaged	Re-install the clip and press firmly until locked; repair the mounting hole if worn; replace the damaged clip.
Trim panel is loose or rattles	Insufficient number of clips; clips are loose; trim panel is damaged	Add more OEM 1J0919309 clips; re-install the loose clips; repair or replace the damaged trim panel.
Clip breaks during	Excessive force; clip is defective; incorrect	Replace the broken clip; install with even force;

installation	installation angle	ensure the clip is perpendicular to the mounting hole.
--------------	--------------------	--

6. Warranty

This product (OEM 1J0919309) comes with a 12-month warranty from the date of purchase. The warranty covers manufacturing defects, including cracks, breakage, deformation, and failure to fix the trim panel under normal use.

Not covered by the warranty: Damage caused by improper installation, excessive force, misuse, collision, disassembly, or natural wear and tear. For warranty service, please contact the seller with your purchase proof and product photos.

7. Contact

For support regarding installation, usage, troubleshooting, or product images of OEM 1J0919309, please contact us:

- Email: [Your Email Address]
- WhatsApp: [Your WhatsApp Number]
- Customer Service: [Your Customer Service Phone Number]

Thank you for choosing our OEM 1J0919309 Car Interior Trim Panel Clip! We are committed to providing high-quality products and professional service.
