

The background of the lower half of the page features two ZEB EnergiPod 10R2 power banks. One is black and the other is white. Both have a large digital display on the front showing '00%' with a green battery icon. The black one is in the foreground, slightly to the left, and the white one is behind it to the right. They are both angled towards the viewer.

Power Bank
ZEB EnergiPod 10R2

User Manual

www.zebronics.com

Thank you for purchasing the **ZEB-EnergiPod 10R2** Power bank. Please read this user manual carefully before operation and save it for future reference.

Note:

- Avoid the usage of this product at high temperature and high humidity environments.
- Avoid the self-disassembling of the product or it will result in voiding the Product's warranty.
- Please charge the product with a power adapter output rated Type-C (Please refer to the specification).

Caution: *There is a risk of explosion if the product is disposed in the fire.*

To know more about Terms and conditions for warranty policy, please visit

<https://zebronics.com/pages/warranty-policy>

Features:

22.5W Max Output

Rapid Charging

LED Percentage Display

Mobile/Tablet Compatible

Type-C Input & Output Port

Over Charge Protection

Overload Protection

Short Circuit Protection

Attached Output Cables

Specifications:

Battery Capacity : 10000mAh

No. of Inputs : 2

No. of Outputs : 5

Inputs

Type-C Port : DC 5V/3A, 9V/2A,
12V/1.5A

USB Cable : DC 5V/2A

Outputs

USB Port : DC 5V/3A, 9V/2A,
12V/1.85A

Type-C Port : DC 5V/3A, 9V/2.2A,
12V/1.67A

Type-C Cable : DC 5V/3A, 9V/2A,
12V/1.85A

Micro USB Cable : DC 5V/2.4A

Lightning Cable : DC 5V/2.4A
(22.5W Max. Output)

Charging Time : 3h, 26Mins. Approx.

Product Dimension : 6.7 x 2.1 x 14.8 cm
(W x D x H)

Net Weight : 233g


Package Contents :

Power Bank : 1 U

Charging Cable : 1 U


QR Code Guide : 1 U

Port Descriptions :




Charging Instructions :

- Connect the Type C end of the charging cable to the power bank and the USB end to the charger or can charge through Built in USB cable.



Charging your Device with the Power Bank :

- Connect the Type-C / Micro USB / Lightning end of the charging cable to the device and the USB / Type-C end to the output ports of the power bank.



Note: Simultaneous Usage of the power bank output provides standard 5V DC output.